Discrete Mathematics 92 (1991) 451–452
North-Holland

Author index to volume 92 (1991)

Archdeacon, D. and J.H. Dinitz, Constructing indecomposable 1-factorizations of the complete multigraph (1–3) 9– 19
Atanassov, K.T., see Shannon, A.G. (1–3) 329–340
Batten, L.M., An extension of Wagner's theorem (1–3) 21– 23
Billington, E.J. and D.G. Hoffman, The number of repeated blocks in balanced ternary designs with block size three II (1–3) 25– 37
Casse, L.R.A., see Oxenham, M.G. (1–3) 251–259
Chamberlin, S.R. and D.A. Sprott, On a discrete distribution associated with the statistical assessment of nominal scale agreement (1–3) 39– 47
Colbourn, C.J., R.A. Mathon, A. Rosa and N. Shalaby, The fine structure of threefold triple systems: $v = 1$ or 3 (mod 6) (1–3) 49– 64
De Caen, D., D.L. Kreher, S.P. Radziszowski and W.H. Mills, On the covering of t-sets with $(t+1)$-sets: $C(9, 5, 4)$ and $C(10, 6, 5)$ (1–3) 65– 77
Dinitz, J.H., see Archdeacon, D. (1–3) 9– 19
Donovan, D. and S. Oates-Williams, Single laws for sloops and squags (1–3) 79– 83
Erdős, P., S. Fajtlowicz and W. Staton, Degree sequences in triangle-free graphs (1–3) 85– 88
Fajtlowicz, S., see Erdős, P. (1–3) 85– 88
Gani, J., A note on a stochastic model for the incubation of transfusion-associated AIDS (1–3) 89– 94
Hamm, R.C., see Sarvate, D.G. (1–3) 321–328
Hartnell, B.L. and W. Kocay, On minimal neighbourhood-connected graphs (1–3) 95–105
Heinrich, K., M. Kobayashi and G. Nakamura, Dudeney's round table problem (1–3) 107–125
Hoffman, D.G., see Billington, E.J. (1–3) 25– 37
Horton, J.D., A hyperfactorization of order 8, index 2 (1–3) 127–129
Jungnickel, D. and S. Vanstone, Triple systems in PG $(2, q)$ (1–3) 131–135
Kageyama, S. and K. Sinha, Constructions of partially balanced bipartite block designs (1–3) 137–144
Kim, A.C. and B.H. Neumann, Laws in a class of groupoids (1–3) 145–158
Kobayashi, M., see Heinrich, K. (1–3) 107–125
Kocay, W. and G.H.J. van Rees, Some non-isomorphic $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$-BIBD's (1–3) 159–172
Kocay, W., see Hartnell, B.L. (1–3) 95–105
Kolesova, G., see Lam, C.W.H. (1–3) 187–195
Koukouvinos, C. and J. Seberry, Hadamard matrices of order $=8$ (mod 16) with maximal excess (1–3) 173–176
Koukouvinos, C., see Kounias, S. (1–3) 177–185
Kounias, S., C. Koukouvinos and K. Sotirakoglou, On Golay sequences (1–3) 177–185
Kreher, D.L., see De Caen, D. (1–3) 65– 77
Lam, C.W.H., G. Kolesova and L. Thiel, A computer search for finite projective planes of order 9 (1–3) 187–195
Lamken, E., R. Rees and S. Vanstone, Class-uniformly resolvable pairwise balanced designs with block sizes two and three (1–3) 197–209
Lidl, R. and W.B. Müller, Generalizations of the Fibonacci pseudoprimes test (1–3) 211–220
Mathon, R.A., see Colbourn, C.J. (1–3) 49– 64
Mills, W.H., see De Caen, D. (1–3) 65– 77
Müller, W.B., see Lidl, R. (1–3) 211–220

Mullin, R.C. and D. Wevrick, Singular points in pair covers and their relation to Hadamard designs (1–3) 221–225
Nakamura, G., see Heinrich, K. (1–3) 107–125
Nash-Williams, C.St.J.A., Reconstruction of locally finite connected graphs with two infinite wings (1–3) 227–249
Neumann, B.H., see Kim, A.C. (1–3) 145–158
Oates-Williams, S., see Donovan, D. (1–3) 79– 83
Oxenham, M.G. and L.R.A. Casse, On a geometric representation of the subgroups of index 6 in S_6 (1–3) 251–259
Pless, V., Codes and designs—existence and uniqueness (1–3) 261–274
Praeger, C.E., Balanced directed cycle designs based on groups (1–3) 275–290
Radziszowski, S.P., see De Caen, D. (1–3) 65– 77
Rahilly, A., On the line structure of designs (1–3) 291–303
Rees, R., see Lamken, E. (1–3) 197–209
Rees, R., The spectrum of restricted resolvable designs with $r = 2$ (1–3) 305–320
Rosa, A., see Colbourn, C.J. (1–3) 49– 64
Sarvate, D.G. and R.C. Hamm, Row-column directed block designs (1–3) 321–328
Seberry, J., see Koukouvinos, C. (1–3) 173–176
Shalaby, N., see Colbourn, C.J. (1–3) 49– 64
Shannon, A.G., J.C. Turner and K.T. Atanassov, A generalized tableau associated with colored convolution trees (1–3) 329–340
Sharry, M.J. and A.P. Street, Partitioning sets of quadruples into designs III (1–3) 341–359
Simpson, R.J., Disjoint covering systems of rational Beatty sequences (1–3) 361–369
Sinha, K., see Kageyama, S. (1–3) 137–144
Sotirakoglou, K., see Kounias, S. (1–3) 177–185
Sprott, D.A., see Chamberlin, S.R. (1–3) 39– 47
Staton, W., see Erdős, P. (1–3) 85– 88
Stinson, D.R., A survey of Kirkman triple systems and related designs (1–3) 371–393
Street, A.P., see Sharry, M.J. (1–3) 341–359
Sved, M., The geometry of the binomial array modulo p^2 and p^3 (1–3) 395–416
Thiel, L., see Lam, C.W.H. (1–3) 187–195
Turner, J.C., see Shannon, A.G. (1–3) 329–340
Tutte, W.T., On the Birkhoff–Lewis equations (1–3) 417–425
Van Rees, G.H.J., see Kocay, W. (1–3) 159–172
Vanstone, S., see Lamken, E. (1–3) 197–209
Wallis, W.D. and J. Wu, On clique partitions of split graphs (1–3) 427–429
Wevrick, D., see Mullin, R.C. (1–3) 221–225
Williams, H.C., Some formulas concerning the fundamental unit of a real quadratic field (1–3) 431–440
Wilson, B.J., Minimax arcs (1–3) 441–450
Wu, J., see Wallis, W.D. (1–3) 427–429